| | Application No. | Applicant(s) |
|---|--|------------------------------------|
| Notice of Allowability | 10/729,575 | NOBUOKA, KOSUKE |
| | Examiner | Art Unit |
| | Amy Hsu | 2622 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 7/20/2007. 2. The allowed claim(s) is/are 1-3 and 6. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No | | |
| 3. Copies of the certified copies of the priority document of the prio | of this communication to file a reply | - ·· |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet of | s Amendment / Comment or in the C | ngs in the front (not the back) of |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 8/8/2007, 7/20/2007 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material | 5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amenda 8. ☑ Examiner's Statema 9. ☐ Other | (PTO-413), te |

Page 2

 Applicant's arguments, filed 7/20/2007, with respect to Claims 1-6 have been fully considered and are persuasive. The rejections have been withdrawn.
 Corrections to Fig. 1 and the amendments to the disclosure are approved.

Allowable Subject Matter

- 1. Claims 1-3,6 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: The prior art references cited disclose an image pickup apparatus with enlargement circuit to cut the video signal, or thin out the signal, and also means to interpolate the thinned out signal. The references also disclose means to extract a high frequency component using digital filters. Prior art references cited in the first office action teaches means to change the band of the frequency component. However, the prior art fails to teach that the signal that has been thinned out, or cut, and interpolated is the signal that is processed through the changing means to change the band of the frequency component for the purpose of autofocus.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2622

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Kyuma et al. (US 6445416) teaches an electronic zoom camera which thins out and interpolates signals.

Kaji (US 5838370) teaches an image pickup apparatus comprising an image enlargement circuit and interpolation means and means to extract frequency.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amy Hsu whose telephone number is 571-270-3012. The examiner can normally be reached on M-F 8am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lin Ye can be reached on 571-272-7372. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/729,575

Art Unit: 2622

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Amy Hsu Examiner

Art Unit 2622

ARH 9/28/2007

LIN YE

SUPERVISORY PATENT EXAMINER

Page 4